North Lancashire Naturalists Group

Invertebrate survey for the Fairfield Association, Lancaster, summer 2012

The Fairfield Association is a group of residents who run two areas of Lancaster as a community space and nature reserve. The nature reserve is called FAUNA (GR SD470610) and a group of NLNG members set about an initial invertebrate survey of the 'Hay Meadow'. The aim was to instruct local volunteers in the techniques of invertebrate surveying and to support them in their identification.

On a Sunday morning in late July (29 July 2012) five NLNG members met with a further six volunteers from the Fairfield Association to carry out the initial survey. The meadow was very wet, but the rain held off for most of the time spent at the site. Sweep netting, beating, hand searching the sward and butterfly netting were demonstrated. No quantitative sampling was undertaken. The meadow habitat and wet meadow verging towards both still and running water were sampled. All results were grouped together.

There were no surprising specimens or any particularly rare. However there was a healthy population of Figwort beetles on the Figwort near the watercourse of Lucy Brook, and the Tree Bumble Bee was recorded, which appears to be slowly spreading its range northwards.

The species list is attached on the following page.

Two hours of sampling were sufficient for the group before people became too damp. It was resolved that further surveying should be carried out at other times of the year and in the grazed areas (White Park Cattle) of the nature reserve.

My thanks go to Jennifer Newton who undertook most of the identification, and to the Fairfield Association for access permission. I hope that several will come to join the NLNG and jointly support each other's interests.

Chris Workman

| | | meadow, FAUNA 29 July 2012 | |
|----------------------------|--------------|----------------------------|--------------------------------|
| Comon names | Order | Family or species if known | |
| Insects | | | |
| Springtails | | | |
| Springtail | Collembola | Sminthuridae | |
| Damsel flies | | | |
| | Oderete | | la chauna a la anna |
| Blue-tailed Damselfly | Odonata | Coenagriidae | Ischnura elegans |
| True Bugs | | | |
| Frog Hopper | Homoptera | Cercopidae | Philaenus spumarius |
| Leafhopper (blue-green) | Homoptera | Cicadellidae | Cicadella viridis |
| Aphids | Homoptera | Aphididae | |
| Grass bugs (green) | Heteroptera | Miridae | Blepharidopterus angulatus (?) |
| Grass bugs | Heteroptera | Miridae | Capsus ater |
| Potato capsid bug | Heteroptera | Miridae | Calocoris norvegicus |
| Thrips | | | |
| Thrip | Thysanoptera | Thripidae | |
| ГГ | , | | |
| Butterflies | | | |
| Green-veined White | Lepido ptera | Pieridae | Pieris napi |
| Meadow Brown | Lepido ptera | Satyridae | Maniola jurtina |
| Large Skipper | Lepido ptera | Hesperiidae | Ochlodes venatus |
| Moths | | | |
| Tortrix Moth | Lepido ptera | Tortricidae | Tortrix viridana? |
| Cinnabar Moth caterpillar | Lepido ptera | Arctiidae | Tryia jacobaeae |
| Grass moth (micro moth) | | | Agriphila straminella |
| True flies | | | |
| Yellow dung Fly | Diptera | Muscidae | Scatophaga sp. |
| Stilt-legged Fly | Diptera | Helomyzidae | Helomyza sp. (?) |
| Fly | Diptera | Lonchopteridae | , i (i |
| Moth Fly or Owl Midge | Diptera | Psychodidae | |
| Chironomid (m. feathery | | , | |
| antennae) | Diptera | Chirono midae | |
| Chironomid (yellow & black | | | |
| striped) | Diptera | Chironomidae | |
| Bees, wasps and ants | | | |
| Ichneuman Fly - female | Hymenpotera | Ichneumonidae | |
| Chalcid Wasp | Hymenoptera | Chalcidoidea | |
| Common Carder Bee | Hymenoptera | Apoidea | Bombus pascuorum |
| | | Apoidea | Bombus lucorum / terrestris |
| White-Tailed Bumble Bee | Hymenoptera | agg. | |

| Tree bumble bee | | Apoidea | Bombus hypnorum |
|-----------------------------|------------|----------------------------------|------------------------|
| | | | |
| Beetles | | | |
| Soldier beetle | Coleoptera | Cantharidae | Rhagonycha fulva |
| Figwort Weevil Larva (slug- | | | |
| like) | Coleoptera | Curculionidae | Cionus scrophulariae |
| Staphylinid Beetles | Coleoptera | Staphylinidae | |
| Flea Beetles | Coleoptera | Chrysomelidae | Phyllotreta sp. |
| 7-Spot Ladybirds | Coleoptera | Coccinellidae | Coccinella 7-punctata |
| | | | |
| Spiders and | | | |
| Harvestmen | | | |
| Comb-footed spider | Aranea | Theridiidae | Theridium impressum |
| Orb-web spider | Aranea | Agriopidae | Araneus diadematus |
| Orb-web spider | Aranea | Agriopidae | Larinioides cornutus |
| Long-jawed orb weaver | Aranea | Tetragnathidae | Pachygnatha degeeri |
| Harvestman | Opilione | | Dichranopalpus ramosus |
| Mollusca | | | |
| Slug | | Arion cf ater (stripy red skirt) | |